



CB RADIO AE 6190 HD

OPERATING MANUAL

Index

Important note	3
Introduction	4
Accessories included	4
Safety Precautions	4-5
Front view	5
Rear view	5
Installation of the radio	6
Power supply	6-7
Antenna connection	7
Operation	8
Switching on and adjusting volume	8
Country switch setting	8-9
Selecting the operating channel	9
Adjusting squelch (muting)	9-10
AM / FM mode switch	10
Special interest channels	10
Direct channel access to CH 9	10
Scan mode	10-11
Transmitting and correct use of microphone	11
External sockets	11-12
External loudspeaker	11
Microphone socket	11-12
Service and Warranty information	12
Technical Details	13
Service contacts	13
Legal Information	14
Albrecht Radio Passport	14
Declaration of Conformity	15
Circulation Card in English and French	Annex

Important Note

Your Albrecht AE 6190 HD corresponds to the latest European CB standards. As a unique feature, it has a software country switching which allows selecting the operation mode according to the country, where You intend to use the radio. Please make sure that You use only the country switching which is allowed in Your country and according to Your CB licence! **You may risk a penalty if authority members will find that You are operating in not allowed modes!**

During first use of this radio, Your radio will start in the factory preselected 80 FM / 40 AM mode for sales in Germany (for sales in other countries the factory default start setting may be different) :

- 80/40** 80 channels FM / 4 Watt, 40 channels AM / 1 Watt for Germany, also for Czech Republic (only FM allowed to use). You need no more any licence to operate the radio in this mode, but in certain German border regions CB base stations shall not transmit on channels 41 to 80 in FM, or they need a special license.
- 40/40** 40 channels FM / 4 Watt, 40 channels AM / 1 Watt. Latest European Standard EN 300 433-2, but not yet applied in all countries. In Belgium, Italy, Spain and Switzerland /Liechtenstein a licence is needed to operate the radio, while it is already free of charges and licence in Germany, Estonia, Finland , France , Latvia, the Netherlands, Poland, Portugal and Slovak Republic. ***For Spain and Poland, we have a special version which allows 4 Watts AM***, but this version is only allowed to be used in these countries.
- 40 FM** 40 channels FM / 4 Watt (former "CEPT" settings with 40 Channels FM according to EN 300 135-2). This mode can be used in all European countries (some countries still request an individual licence, even for 40 FM mode! See our latest issue of the "Radio Passport"). ***For Austria we supply a CEPT version AE 6190 HD-FM without country switch.***

Please note that radios with country switches are generally not allowed to be used in Austria. The new EU member states have now implemented the European regulations. Please refer to official information of the local authorities before using the radio in other countries outside EU.

Introduction

Your new Albrecht CB Radio AE 6190 HD, developed and manufactured in accordance with the latest CB regulations, offers you:

- 40 channels FM / 4 watt or
- 80 channels FM / 4 watt / 40 channels AM / 1 Watt or
- 40 channels FM / 4 Watts / 40 channels AM / 1 Watt (4 Watts in Spanish or Poland version)
- Channel selection UP/ Down buttons on the radio and at the microphone
- Channel scan button at radio
- Direct channel switching to CH 9 at radio
- LCD display for channels and status
- 6-pin standard microphone socket, suitable also for amplifier microphones, selective calling systems or Packet Radio modems / TNC's
- Socket for external loudspeaker

Please read this operating manual through carefully. This will enable you to make use of all the functions your new CB Radio has to offer as soon as possible.

Accessories included

Your AE 6190 HD comes operational with the following accessories:

- mobile mount
- fixed connected DC power cable with looped-in fuse
- Electret hand-held microphone with pre-amplifier and up / down buttons
- microphone hanger
- various screws to fasten the radio and microphone fixing devices
- User manual with Radio Passport

Safety Precautions

Users with pacemakers are recommended as a precaution to consult their doctor before operating the CB radio. Not all types of pacemakers are sufficiently protected from radiation from a nearby transmitter, so do not assume it is safe to start operation without checking! Please remember that you are in the immediate vicinity of a transmitting aerial, particularly when used as a mobile. If your doctor, or the manufacturer of the pacemaker, has recommended keeping a certain safe distance from the aerial, then please follow their instructions!

Do not transmit without connecting the aerial and never touch the aerial during transmission!

Please also take road safety into account! CB Radio (even when only receiving, particularly when volume is turned up) can divert your attention from the road! Road safety is of course to be given priority! Therefore only use your ALBRECHT AE 6190 HD when the traffic situation enables it to be used safely.

Front view

Receive Volume On-Off
LCD Channel & Status Display
Channel Up key



6 pin MIC socket
Squelch
AM -FM Scan switch CH 9
Channel Down key

Rear view

External speaker
8 Ohms, min. 2 W



Brand Plate with country switching decription
Antenna socket
50 Ohms
PL-259 Standard
DC power cable
13.2 V

Installation of the radio

You can either operate your ALBRECHT AE 6190 HD in the car or at home as a base station. For installation as a mobile station in the car, a mobile mount device is enclosed. Mount the set in such a way that it is not exposed to direct sunlight if possible, as this would lead to an increase in the temperature and can decrease the (set's) working life. The set should also not be installed near a heater. Mount the set in such a way that it is exposed to as little vibration as possible.

The mobile fixing device should be attached to the dashboard, the tunnel slot or to any other suitable place using the enclosed tapping screws. Do not install the set in a place where it could cause injuries in the case of an accident (be careful to ensure free leg movement). Take care not to damage any underlying wires during installation!

Then insert the radio into the mobile mount device. Secure the set with the large knurled screws (using the enclosed washers) firmly at the required angle.

Also mount the microphone hanger using the enclosed screws in an easily-accessible place. In order to prevent interference to the vehicle electronics from transmission in the vehicle, please make sure to take any mounting instructions from the vehicle manufacturer for radios and antennas into account.

Please note: European directives allow the car manufacturers to decide, where, or even whether or not private radio transceivers may be operated in their cars, this is also valid for antenna installations. Please install Your mobile CB station only in accordance to car manufacturer's installation instructions.

Power supply

Your AE 6190 HD receives power from the 2 pin fixed power cable.

The red and black wires in the cable are for the power supply. The cable has a looped-in fuse.

You can choose from two methods when connecting to the power supply (red and black):

Example 1

The radio should be able to be switched on and off at any time using the volume / on/off switch. The radio shall keep the last used setting.

Connect up the red to the positive pole on the vehicle battery (or elsewhere in the vehicle's electrical system with permanent plus) or to a 12 volt power unit.

Connect up the black wire to the negative pole on the vehicle battery or the power unit or to a well-conductive part of the car body. (Not all body ground positions are good for radio communication- in most cases the battery Minus is the best connecting position)

Example 2

The set should be automatically be switched on and off with the ignition switch of the car. The radio will then always start in the factory default mode. Radios sold in Germany start on CH 9 AM in the German country setting (80/40).

Attach the red wire to a part of the vehicle electrical system which is interconnected to the ignition.

Connect the black wire to the negative pole on the battery or the vehicle body.

Note for all connecting methods:

For EMC reasons, the cable used to connect to the power supply should be no longer than 3 metres.

If you wish to operate your set at home from the mains supply then please only use a stabilised power supply with at least 2 amps permanent current capacity. Under no circumstances should you use a car battery charger, as these are not stabilised and during open circuit reach such high voltage levels that your radio set could be destroyed.

If in base station use it may be important to keep the last setting after switching off and on again, then please do not switch the external power supply power unit off when you switch your set off for a short time. Only use the on/off switch on the transceiver itself.

Never repair a blown fuse with silver paper or with aluminium foil! Use only original fuses for 2-5 A max. If the fuses keep blowing, then please give your radio set to your servicing dealer to be repaired or hand it in to an authorized service station.

The maximum allowed voltage variation for this radio is from 10.8 volts up to 15.6 volts. Never exceed the upper voltage limit under no circumstances! The transmitting stages for your AE 6190 HD are electronically stabilised, and therefore it is impossible to increase output by means of excessive supply voltage. Such attempts may lead to serious damage to the radio set but will never increase output power!

Antenna connection

Connect your CB antenna to the ANT socket on the rear side of your ALBRECHT AE 6190 HD. Most CB antennas must be tuned to best radiation during installation to give highest effective communication range. CB specialists do that job with a standing wave (SWR) meter to check and adjust the aerial. Tune the antenna to the best standing wave ratio (SWR) on an intermediate channel e.g. using Channel 1 in 80/40 mode (26.965 MHz) or Channel 20 (27.205 MHz) in all other modes. Truckers should prefer CH 9 for optimum alignment.

On this channel you should obtain a SWR of approx. 1.5 or less. If the SWR deteriorates on the highest (Channel 40) and lowest (Channel 41) channels up to a value of 2.5, then your aerial is still acceptable. SWR above 3 is too bad for good communication range. A bad SWR may also indicate that there is perhaps an installation error or missing ground. Problems may be caused through missing ground, especially in boats and motor homes with fiber glass body. For these cases, Albrecht offers a special connecting cable with matching box as "artificial ground" (AKM 27), or ground less antennas like GL 27.

Some antennas, like "Gamma II" are broadbanded and do not need any retuning during installations.

Even if your AE 6190 HD has a heavy duty transceiver with a high-level output stage which can even withstand mismatching of SWR=3, you should still never transmit without an antenna!

Operation

Before switching on

- Turn **SQ** control left as far as possible

Switching on and adjusting volume

The on/off switch is combined in the **VR** control. To switch on:

- Turn **VR** control from OFF position slightly right. LED display will be illuminated. Then turn further until desired volume is reached.

Selecting the correct country code

The factory default setting and the starting country setting (after connecting to Power) can vary depending on the sales country of this radio. Standard setting is the country setting Switching to 80/40 channel system (Germany and Czech Republic only)

80/40 This position is only allowed to be used in **Germany** and **Czech Republic**, because no other European country provides the German 80 FM channels. (Note: In Czech Republic please use only FM)
No individual licence is necessary, but restrictions are still in force **for base stations** in certain German border regions, where transmitting on channels 41 – 80 is not allowed or only with a special licence.

- Switch the radio **off**
- Press **A/F** button and keep button pressed
- Switch **on** the radio at the same time
- **Release** the button

Switching to 40 / 40 channel system

This setting is the European standard AM/FM system which allows 40 channels in AM and 40 Channels in FM as well. When this manual was issued, this system was allowed in **B, CH, D, E, EST, F, Fin, FL, I, IRL, LV, NL, P, PL** and **SK**.

40/40 This position can be used in those countries, where already all 40 international channels are allowed to be used in AM and FM. AM was traditionally used by CB from the beginning in the early 60's in USA, and it is still the preferred mode of all truck drivers in the world. Please use this mode only in countries according to the list in the Radio Passport, and please apply for an individual licence where requested.

If necessary You can switch to this system any time by:

- Switch the radio **off**
- Press **SC** button and keep button pressed
- Switch **on** the radio at the same time
- **Release** the button

Switching to 40 Channels FM (the former CEPT system)

There are still some countries which have not decided to allow AM for CB radios. So we offer the 40 Channels FM mode selectable in this radio. In any case, the 40 CH FM mode is allowed to be used in all European countries with the below mentioned exceptions. If You are

not sure what is allowed in Your country please ask local authorities before using the radio. If You are in doubt, use the 40 CH FM country switching:

40 FM This is former “CEPT” mode, the programming which is allowed in most countries (except Austria). Here the radio works on the international 40 Channels in FM mode. The Mode switch AM – FM on the front side allows only receiving in AM and FM, but only transmitting in FM mode (in some countries You need a licence, even for 40 CH FM only!)

To switch to this system

- Switch **off** the radio
- Press **CH 9** and **SC** simultaneously and keep pressed
- Switch **on** the radio again
- Release buttons

In Austria, the authorities do not allow the use of any CB radios which have a country switch. If You should travel through Austria, You must keep this radio switched off.

For sales and use in Austria we offer a special 40 CH FM version of this model (AE 6190HD-FM) without country switch.

Please read carefully the “Radio Passport” or the “Circulation Card” in the last chapter of this manual before reprogramming the unit. Take your home country’s licence or the Circulation Card with You when travelling abroad and using 40/40 or 80/40 mode.

Note: This radio utilises a CPU system especially developed for this radio. Other (illegal) channel systems are not stored in the CPU system and are not available at all.

Selecting the operating channel

- with Up or Down buttons on the radio You can continuously select channels. The present channel is displayed.
- Press the respective button longer to run up or down through the channels. The present channel is displayed.

Adjusting squelch (muting)

Particularly in FM, noise can be a nuisance on a free channel. With the muting control (SQUELCH) **SQ** You can suppress this noise - but also signals which are too weak to be received properly.

This is how to adjust the signal strength required to switch on the loudspeaker, using the SQUELCH control knob **SQ**:

The further the control knob is turned to the right, the stronger a signal has to be in order to be audible through the loudspeaker.

In order to adjust the set to be the most sensitive to incoming signals, switch to a free channel:

- Use the **up / down** switches to find a free channel, where no signal is displayed.
- Then turn the **SQUELCH** control **SQ** carefully to the right until the noise just about disappears.

Now the loudspeaker stays off when on a free channel but it switches back on when receiving even very weak signals.

The squelch muting adjustment is particularly important during channel scanning. In this mode the point to which the set is adjusted decides whether scanning is stopped at the signal or not. Therefore you should test the various muting settings for various signal strengths and get to know this function.

AM / FM mode switch

In the German channel system 80/40 You can now receive on all 80 channels in FM and AM, but You can transmit on all these channels only in FM.

In AM the only channels 1-40 are enabled for transmitting. If You should try to transmit in AM on other channels, the LED will blink to warn You.

Transmission on such channels is technically deactivated. The transmit mode is displayed as AM or FM in the display.

Special interest channels

There are a few channels which have been established for certain purposes:

Channel 1	Call channel in FM (Germany only)
Channel 9	Call and emergency channel , in Germany particularly this channel is also used by all truck drivers in AM. This means: a large number of stations are listening in. If the worst comes to the worst (e.g. in case of accident etc.) there is a good chance that someone will be listening.

To call other stations, who you know are listening in on channel 9, you can also use this channel. Call up the desired station on channel 9. As soon as contact has been made, agree on a free channel for your conversation and then channel 9 will be free again for other calls.

An emergency channel can of course only work if as many stations as possible are listening in. Therefore listen in to this channel as often as possible!

Channel 16	Water sport channel
Channel 19	Trucker channel on AM in France, Spain and Italy
Channel 24/25	Data transfer (Packet Radio, Germany only)
Channel 40	Calling channel in Switzerland

Some recommendations have been worked out by the CB clubs for the new channels 41 to 80 in Germany. To find out which channels are suitable for special purposes, please get in touch with the respective groups or check in CB magazines.

Direct channel access key CH 9

Your transceiver has an extra button on the front panel which provides direct access to the most important channels 9 described in previous chapter.

You can toggle with the button between "normal" channel selected previously, CH 9 and back again. Just press the button consequently.

Scan mode

Your AE 6190 HD has an automatic channel scan, which can be used to observe all channels consequently.

First choose the mode (AM or FM). Adjust the muting control to the point at which the receiver should open (see also 'Adjusting squelch').

Start channel scan

- Briefly press the button **SC**
- Scan starts almost immediately by scanning all the channels upwards

- Scanning is stopped at each signal worth receiving and you can listen in to the conversation.

If you leave the set alone it will re-start a) after the communication on the channels has stopped or b) after about 5 seconds observation time, if the communication should last longer.

Stop channel scan

- You can stop the scan at any time by pressing the **SC** button a second time.
- Pressing the transmission button will also automatically stop the scan modus.

Transmitting and correct use of microphone

With the transmission button (**Push To Talk**) on the side of the microphone you can switch between receiving and transmitting:

- Press **PTT** button to transmit.
Your radio is equipped with a TX control LED, this will light when You are transmitting on an allowed channel in an allowed mode.
- Release **PTT** button again to switch back to receiving.

When the transmission **PTT** button is depressed, you can speak from a distance of about 5-10 cm into the microphone. After pressing the **PTT** button, please wait about ½ second before You start speaking. Please remember- that different from GSM phones- You share one channel common for transmit and receive, and your transmitter and the receiver(s) on the distant side need a certain time to switch on. The modulation amplifier of your AE 6190 HD is sensitive enough and enables you in most cases to speak with even more distance, depending on how loud your voice is. An automatic regulator ensures that your partner always hears your signal at the same volume.

It is best to test the best distance from the microphone for yourself with the help of another station.

External sockets

External loudspeaker

Depending on the surrounding noise, it can be advisable to hook up an external loudspeaker. Usual commercial radio loudspeakers with 4-8 ohms impedance and 2-4 W minimum output can be plugged in.

The cable can be up to 3 metres long. For car loudspeakers, make sure to use a two-pin 3.5 mm jack plug and ensure that none of the loudspeaker connections are attached to the vehicle chassis.

Microphone socket

Your AE 6190 HD has an 6 pin microphone socket on the front side. To enable the additional channel selecting function UP and Down from the microphone, the socket has a special wiring only valid for this and similar Albrecht transceivers.

Apart from the hand microphone included in the package, you can also hook up other microphones, with or without preamplifier, or with or without selective calling devices. According to the latest regulations you are also allowed to plug in modems or so-called TNC's for data transfer (Packet Radio). However, other type of microphones must be specially soldered to the 6 pin connector and do not allow additional switches. Such other microphones must not use PIN 4 of the plug.

Please note that data transfer is only permitted on certain channels and only for non-commercial use and not in all countries.

Service and Warranty information

Troubleshooting

Check at first the power supply and the fuse. A problem may be caused through power supply, when the LCD is not on after switching the radio on. If the unit works in a strange way, disconnect the power supply cable (or take out the fuse from the holder), while the radio remains switched on, wait some time (minimum 10 seconds), and then reconnect power cord again.

Check the microphone and antenna connector. We think You cannot do more in case of a problem. Please ask Your dealer or consult our service hints in the Internet. If You should return the radio to Your dealer for repair, do not forget to describe the problem as exactly as possible.

European 2 years warranty

The distributor, dealer or retail shop where You bought the radio warrants to the original retail purchaser of this product that should this product or any part of it, under normal use and conditions, be proven defective in material or workmanship within 2 years from the date of original purchase, such defect(s) will be repaired or replaced with new or reconditioned product without charge for parts and repair labor. To obtain repair or replacement within the terms of this warranty, the product is to be delivered with proof of warranty coverage (e.g. a copy of Your bill of sale), specification of defect(s), to the distributor, dealer or his authorised repair centre.

Liability for communications range of this product is disclaimed. The warranty does not apply to any product or part there of which, has suffered or been damaged through alteration, improper installation, mishandling, misuse, neglect, accident, or by removal or defacement of the factory serial number label(s). The warranty does not apply to accessory parts or problems caused through not authorised or not recommended accessories like other than the supplied microphone, external antennas, external power supplies and over voltage caused through external power supplies, lightning or over voltage defects via antenna or other cables, broken or damaged acrylic glass windows and cabinet parts.

Please contact the dealer or person where You have purchased Your CB radio.

Furthermore we afford you 3 years warranty for the AE 6190 HD.

Exempt from this warranty are transmitting power amplifiers and illumination resources. Our General Terms and Conditions are imperative.

Where to find service hints and service documentation

The complete technical documentation is updated regularly. You can download the latest versions of user manuals, technical documents and conformity declaration, as well as service hints or FAQ's any time from our server under

<http://www.hobbyradio.de>

If You should have a problem, please have a look to the service hints or frequently asked questions (FAQ) before You send Your CB radio back to the service centre. Please note that the acceptance of AM+FM in the different European countries has just started and may be subject to unpredictable changes. Our homepage will provide the latest information about using the radio.

Technical Details

Microphone socket wiring

Pin 1	Mic audio
Pin 2	PTT-RX (on ground for receiving)
Pin 3	PTT-TX (on ground for transmit)
Pin 4	Scan key
Pin 5	Ground
Pin 6	+ voltage for mic-power supply if needed

For Packet Radio & others

Pin 1	Transmit audio
Pin 2	Receive audio
Pin 3	PTT key
Pin 4	Do not connect!
Pin 5	Ground
Pin 6	Do not connect!

Transmitter

Transmitting power	4 Watt FM 1 Watt AM
Modulation sensitivity	appr. 3 mV at >1 kOhm
Harmonic and spurious radiations	-90 dBc = 4 nW
Max. frequency deviation	less than 2.0 kHz
AM modulation degree	90%

Receiver

Sensitivity (FM) (SINAD)	better + 3db □V EMK for 20 dB
Sensitivity (AM) (SINAD)	better + 3db □V EMK for 12 dB
Adjacent channel selection	better 60 dB (EN 300 135-1) better 48 dB (EN 300 433-1)
Intermodulation rejection	better 54 dB (EN 300 135-1) better 48 dB (EN 300 433-1)
Image rejection	better 48 dB (EN 300 433-1)
Audio output power	ca. 2 Watt to 8 Ohm load

Alan Electronics GmbH - Daimlerstr. 1 k - D- 63303 Dreieich/ Germany

Spear parts- and Service:	(+49) 6103-9481-22
Service-Fax:	(+49) 6103-9481-60
Homepage:	www.albrecht-online.de , www.alan-electronics.de
e-mail:	service@alan-electronics.de
Service-Download:	www.hobbyradio.de

Legal Information and Conformity Declaration

The radio may be used in European Countries only according to following information, which we publish as "Radio Passport". Because the number of countries allowing the new AM standard is changing, the latest version of this radio passport is published on our Internet Web server and may be downloaded any time. (<http://www.albrecht-online.de/service> or www.hobbyradio.de) The version printed in this user manual has been issued in July 2007.



ALBRECHT RADIO PASSPORT AE 6190 HD

This **international version** and the **FM only version** of this CB radio comply to the latest European regulations (R&TTE directive and European harmonised standards) and has been notified in the countries according to following table: (as of July 2007), while only the special **Spanish version** (4 W AM) is allowed to be used in Spain!

Country	Country switch position	Licence and operating conditions
Operation only with individual licence		
Austria	40 FM	Austria does not accept radios with country switches, please do not use in Austria or ask Your dealer for a limited 40CH FM version AE6190HD-FM
Belgium	40/40 and 40 FM	Residents in Belgium need licence
Italy	40/40 and 40 FM	Licence and regular charges for all CB radios
Switzerland and Liechtenstein	40/40 and 40 FM	Licence and monthly charges for Residents
Spain	40/40 and 40 FM	Licence and regular charges for Residents
Operation without licence and charges allowed		
Belgium	40FM 40/40	Free for short-time travellers up to 1 month Home country licence /Circulation Card accepted for travellers
Czech Republic	80/40 switch position	Free of licence and charges for all users, but AM channels are not allowed to be used
Denmark / Lithuania	40 FM	Free of licence and charges for all users
Finland	40/40 and 40 FM	Free of licence and charges for all users (travellers with Circulation Card)
France	40/40 and 40 FM	Free of licence and charges for all users
Germany	80/40, 40/40, 40 FM	Free of licence and charges for all users except in some border regions for base stations using channels 41-80
Great Britain (UK)	40 FM UK and 40 FM Europe	Free of licence and charges for all users
Greece	40 FM	Free of licence and charges for all users
Hungary, Cyprus	40 FM	Free of licence and charges for all users
Iceland	40 FM and 40 AM	Free of licence and charges for all users
Ireland	40 FM	Free of licence and charges for all users
Luxembourg, Malta	40 FM	Free of licence and charges for all users
Netherlands	40/40 and 40 FM	Free of licence and charges for all users
Norway	40 FM	Free of licence and charges for all users
Estonia, Latvia, Poland, Slovak Republic and Portugal	40 /40 and 40 FM	Free of licence and charges for all users
Spain	40 FM and 40/40	Free of licence and charges for travellers with Circulation Card
Slovenia, Sweden	40 FM	Free of licence and charges for all users
Switzerland and Liechtenstein	40 FM and 40/40	Free of licence and charges for travellers with Circulation Card

Important Note: Please respect the licence conditions in the above listed countries and do not use the radio without licence, where necessary. For travelling with Your radio, we recommend to provide a copy of Your home country licence document and this Radio Passport together with the radio.

Declaration of Conformity / Konformitätserklärung



We hereby declare that our product: / Wir erklären hiermit, dass unser Produkt

CB-Radio Albrecht AE 6190 HD

satisfies all technical regulations applicable to the product within the scope of EU Council Directives, European Standards and national frequency applications:/ alle technischen Anforderungen im Geltungsbereich der EU Richtlinien, europäischer Normen und nationaler Frequenzanwendungen einhält:

**73/23/EEC, 89/336/EEC and 99/5/EC
EN 300 135 -2 / EN 300 433-2
EN 301 489-1, EN 301 489-13, EN 60 950**

All essential radio test suites have been carried out. /
Alle für das Produkt vorgeschriebenen Funktestreihen wurden durchgeführt.

**Alan Electronics GmbH
Daimlerstr. 1 k
D- 63303 Dreieich**

This declaration is issued under our sole responsibility. Basing on not harmonised frequency applications, the CB radio may be used only in listed countries according to selected channel programming. An individual licence for operating this radio in **AM + FM** on 40/40 in **B, CH, E** and **I** is requested.

In **D**, where 80/12, 80/40, 40/12 or 40/40 FM/AM channels are allowed, **CZ** (only 80 FM), **EST, F, FIN, IRL, LV, NL, PL, P** and **SK** the operation on 40 / 40 channels in AM and FM is free of licence and free of charges. If the radio is programmed to **40 FM only**, it may be used without license and free of charge in all EU member states + **N, IS**, but not in **Austria**, where radios with country switches are generally not allowed to be used, and Italy, where individual license is requested.

Residents of Belgium, Spain, Switzerland and Great Britain (UK) need a CB license in their home country, while travellers from other European countries may use 40 CH FM during travelling in these countries free of license and charges. In Belgium 40 Channels AM is allowed for travellers under the conditions of their home country.

Diese Erklärung wird unter unserer alleinigen Verantwortung abgegeben. Dieses Funkgerät darf wegen der nicht harmonisierten Frequenzanwendungen in **AM + FM** in den Ländern **B, CH, E** und **I** nur mit gültiger **CB Funkgenehmigung** benutzt werden. In **D** (80 FM, max 40 AM), **CZ** (nur 80 FM), **EST, F, FIN, IRL, LV, NL, P** und **SK** (40/40) ist der CB Funk anmelde- und gebührenfrei. Dabei ist In Deutschland ist mit der Programmierung **80/40 der ortsfeste** Sendebetrieb auf den Kanälen 41 - 80 in bestimmten Regionen entlang der Grenzen der Bundesrepublik Deutschland (außer zu CZ) nicht oder nur mit Sondergenehmigung gestattet, in Tschechien darf nur FM (80 Kanäle) benutzt werden.

Mit der Programmierung **40 FM** darf dieses Gerät in allen EU Mitgliedsstaaten + Island, Norwegen (außer Österreich, dort ist der Betrieb von CB Funkgeräten mit Länderumschaltung generell nicht erlaubt) und Italien (dort ist auch der CB Funk mit 40 Kanälen FM genehmigungspflichtig), anmelde- und gebührenfrei betrieben werden. Bewohner von Belgien, Großbritannien, der Schweiz, Liechtenstein und Spanien benötigen in ihrem Heimatland eine Genehmigung (CB-Lizenz). Die vorübergehende Benutzung von 40 Kanälen FM durch Reisende aus anderen europäischen Ländern ist jedoch in diesen Ländern anmelde- und gebührenfrei erlaubt. 40 AM ist in Belgien für Reisende erlaubt, wenn die Heimatbedingungen dies gestatten (z.B. für Reisende aus Deutschland). Mitführen der Circulation Card für Reisende aus Deutschland ist notwendig in Spanien, Finnland, der Schweiz und Liechtenstein.

Alan Electronics GmbH declare, bajo su responsabilidad, que este aparato cumple con lo dispuesto en la Directiva 99/05/CE, del Parlamento Europeo y del Consejo de 9 de marzo de 1999, transpuesta a la legislación española mediante el Real Decreto 1890/2000, de 20 de noviembre.

Point of contact/Ansprechpartner: **Dipl.-Phys. Wolfgang Schnorrenberg**
Place and date of issue:

Lütjensee, 06. 07. 2007

(Signature)

Dipl.-Phys. Wolfgang Schnorrenberg
Alan Electronics GmbH

**MULTILATERALE VEREINBARUNG ÜBER DAS FREIZÜGIGE MITFÜHREN
UND BETREIBEN VON MOBILEN/TRAGBAREN SENDE-
EMPFANGSFUNKANLAGEN IM 27 MHz BAND (CB-FUNKGERÄTE), FÜR DIE
KEINE FREIZÜGIGKEIT DURCH EINE CEPT-EMPFEHLUNG GILT**

Berechtigungskarte



Bundesnetzagentur

Bundesnetzagentur für Elektrizität, Gas, Telekommunikation, Post und Eisenbahnen

Diese Vereinbarung bezieht sich nur auf CB-Funkgeräte, deren Konformität mit den grundlegenden Anforderungen nach Richtlinie 1999/5/EG (R&TTE-Richtlinie) erklärt wurde und mit einer entsprechenden CE-Kennzeichnung versehen sind, oder die nach einer früheren Vorschrift in Deutschland zugelassen wurden und mit einer der folgenden Kennzeichnungen versehen sind: PR27, PR27D, PR27D-40, 27PR-FM, KAM, KFFM40, KFFM, AFM80, KFAM40, FM80, k/m, KF, K/..., K/p.

Aufgrund der Vereinbarung wird das Mitführen und Betreiben der oben bezeichneten CB-Funkgeräte in den Ländern und unter den Bedingungen der nachstehenden Tabelle gestattet. Diese Erlaubnis berührt jedoch nicht die relevanten Zollbestimmungen für den Import und Export von Funkanlagen.

Die Erlaubnis gilt nur für Personen mit einem ständigen Wohnsitz in Deutschland und für einen Aufenthalt im besuchten Gastland von weniger als einem Monat.

Die Erlaubnis gilt nur für mobile und tragbare CB-Funkgeräte.

Beim Auftreten von Funkstörungen kann die Telekommunikationsverwaltung des Gastlandes im Einzelfall die Erlaubnis zum Betreiben der CB-Funkgeräte widerrufen. Unbeschadet dessen bleibt die Erlaubnis zum Mitführen solcher CB-Funkgeräte in Kraft.

Im Gastland ist keine besondere Genehmigung erforderlich.

Mainz, Dezember 2005

Dieses Dokument ist gültig bis 31. Dezember 2008

DAS MITFÜHREN UND DIE BENUTZUNG EXTERNER HF-LEISTUNGSVERSTÄRKER („NACHBRENNER“) IST STRENG VERBOTEN

GASTLAND	Erlaubnis zum						
	Mitführen	Betreiben mit			erlaubte Kanäle bei		
		FM	AM	SSB	FM	AM	SSB
BELGIEN	ja	ja	ja	ja	1 - 40	1 - 40	1 - 40
FINNLAND	ja	ja	ja	ja	1 - 40	1 - 40	1 - 40
FRANKREICH	ja	ja	ja	ja	1 - 40	1 - 40	1 - 40
LIECHTENSTEIN	ja	ja	ja	ja	1 - 40	1 - 40	1 - 40
PORTUGAL*	ja	ja	ja	ja	1 - 40	1 - 40	1 - 40
SCHWEIZ	ja	ja	ja	ja	1 - 40	1 - 40	1 - 40
SPANIEN	ja	ja	ja	ja	1 - 40	1 - 40	1 - 40

* bis zum 31.12.2006

**MULTILATERAL AGREEMENT CONCERNING THE FREE CIRCULATION
OF MOBILE/PORTABLE TRANSMITTING/RECEIVING STATIONS IN THE
27 MHz BAND (CITIZEN BAND), NOT COVERED BY A CEPT
RECOMMENDATION**

CIRCULATION CARD



Bundesnetzagentur

Federal Network Agency for Electricity, Gas, Telecommunications, Post and Railway

This Agreement refers only to CB equipment declared in conformity with the essential requirements of Directive 1999/5/EC (R&TTE Directive) and CE marked, or approved in Germany under earlier regulations and bearing any of the following marks: PR27, PR27D, PR27D-40, 27PR-FM, KAM, KFFM40, KFFM, AFM80, KFAM40, FM80, k/m, KF, K/..., K/p.

The Agreement allows the equipment specified to be carried, transported and used in the countries listed under the conditions shown in the following table. This authorization does not cover the import and export of radio equipment, which is subject to the relevant customs regulations.

This authorization is valid only for individuals residing permanently in Germany and staying in the country visited for less than 1 month.

This authorization is valid only for mobile/portable stations.

If any interference occurs, the host country may, in individual cases, revoke the authorization for the operation of the equipment. However, the authorization to carry and transport such equipment will remain valid.

No individual licence is required by the country visited.

Mainz, December 2005

Document valid until December 31, 2008

THE TRANSPORT AND USE OF EXTERNAL RF POWER AMPLIFIERS IS STRICTLY FORBIDDEN

VISITED COUNTRY	Authorization to						
	carry and transport	Use in			Authorized channels in		
		FM	AM	SSB	FM	AM	SSB
BELGIUM	yes	yes	yes	yes	1 - 40	1 - 40	1 - 40
FINLAND	yes	yes	yes	yes	1 - 40	1 - 40	1 - 40
FRANCE	yes	yes	yes	yes	1 - 40	1 - 40	1 - 40
LIECHTENSTEIN	yes	yes	yes	yes	1 - 40	1 - 40	1 - 40
PORTUGAL*	yes	yes	yes	yes	1 - 40	1 - 40	1 - 40
SWITZERLAND	yes	yes	yes	yes	1 - 40	1 - 40	1 - 40
SPAIN	yes	yes	yes	yes	1 - 40	1 - 40	1 - 40

* until 31.12.2006

ACCORD MULTILATERAL RELATIF A LA LIBRE CIRCULATION ET A L'UTILISATION D'EMETTEURS-RECEPTEURS MOBILES-PORTATIFS DANS LA BANDE DES 27 MHz (EQUIPEMENT CB) NON COUVERTES PAR UNE RECOMMANDATION CEPT

CARTE DE CIRCULATION



Bundesnetzagentur

Agence fédérale réseaux - électricité, gaz, télécommunications, postes et chemins de fer

Cet accord concerne uniquement des équipements CB qui ont fait l'objet d'une déclaration de conformité aux exigences essentielles selon la directive 1999/5/CE (directive R&TTE) et portent un marquage CE correspondant ou bien qui ont été agréés en Allemagne conformément à un règlement antérieur et portent un des marquages suivants: PR27, PR27D, PR27D-40, 27PR-FM, KAM, KFFM40, KFFM, AFM80, KFAM40, FM80, k/m, KF, K/..., K/p.

En vertu de l'accord, le transport et l'utilisation dans les pays cités des équipements CB mentionnés sont autorisés dans les conditions spécifiées sur le tableau suivant. Cette autorisation ne porte toutefois pas préjudice aux règlements nationaux administrés par les autorités douanières concernant l'importation et l'exportation d'installations radioélectriques.

Cette autorisation n'est valable que pour des particuliers résidant en permanence en Allemagne et séjournant dans le pays visité pour une période inférieure à 1 mois.

Cette autorisation n'est valable que pour des équipements CB mobiles et portatifs.

En cas de brouillages radioélectriques, l'Administration des télécommunications du pays d'accueil peut, au cas par cas, révoquer l'autorisation d'utiliser les équipements CB. En tout état de cause, l'autorisation de transporter de tels équipements reste valable.

La détention d'une licence individuelle délivrée par le pays d'accueil n'est pas requise..

Mainz, Décembre 2005

Document valable jusqu'au 31 décembre 2008

LE TRANSPORT ET L'UTILISATION D'AMPLIFICATEURS DE PUISSANCE H.F. EXTERNES SONT FORMELLEMENT INTERDITS

PAYS VISITE	Autorisation pour						
	transport	Utilisation en			Canaux autorisés en		
		FM	AM	SSB	FM	AM	SSB
BELGIQUE	oui	oui	oui	oui	1 - 40	1 - 40	1 - 40
FINLANDE	oui	oui	oui	oui	1 - 40	1 - 40	1 - 40
FRANCE	oui	oui	oui	oui	1 - 40	1 - 40	1 - 40
LIECHTENSTEIN	oui	oui	oui	oui	1 - 40	1 - 40	1 - 40
PORTUGAL*	oui	oui	oui	oui	1 - 40	1 - 40	1 - 40
SUISSE	oui	oui	oui	oui	1 - 40	1 - 40	1 - 40
ESPAGNE	oui	oui	oui	oui	1 - 40	1 - 40	1 - 40

* jusqu'au 31.12.2006

Disposal and Recycling of Electronics Waste



This CB radio has been produced according to the European **RoHS** directive and does no more contain certain banned hazardous substances. Please dispose defective and no more usable electronic items only via officially allowed collecting points.

The new European WEEE directive does no more allow to dispose items via household trash. Please contribute to the efficient recycling of used electronic items!

© Alan Electronics GmbH, August 2007